

Gluco20 Studies and Research:

Vitamin C

[Afkhami-Ardekani M, Shojaoddiny-Ardekani A. Effect of vitamin C on blood glucose, serum lipids & serum insulin in type 2 diabetes patients. Indian J Med Res. 2007;126\(5\):471-4.](#)

[Dakhale GN1, Chaudhari HV, Shrivastava M. Supplementation of vitamin C reduces blood glucose and improves glycosylated hemoglobin in type 2 diabetes mellitus: a randomized, double-blind study. Adv Pharmacol Sci. 2011;2011:195271.](#)

[M. A. Ardekani and A. S. Ardekani, "Effect of vitamin C on blood glucose, serum lipids & serum insulin in type II diabetes patients," Indian Journal of Medical Research, vol. 126, no. 5, pp. 471–474, 2007](#)

[N. Bishop, C. J. Schorah, and J. K. Wales, "The effect of vitamin C supplementation on diabetic hyperlipidaemia: a double blind, crossover study," Diabetic Medicine, vol. 2, no. 2, pp. 121–124, 1995.](#)

[P. Sridulyakul, D. Chakraphan, and S. Patumraj, "Vitamin C supplementation could reverse diabetes-induced endothelial cell dysfunction in mesenteric microcirculation in STZ-rats," Clinical Hemorheology and Microcirculation, vol. 34, no. 1-2, pp. 315–321, 2006.](#)

[Ashor AW, Werner AD, Lara J. Effects of vitamin C supplementation on glycaemic control: a systematic review and meta-analysis of randomised controlled trials. Eur J Clin Nutr. 2017 Mar 15.](#)

[S. J. Davie, B. J. Gould, and J. S. Yudkin, "Effect of vitamin C on glycosylation of proteins," Diabetes, vol. 41, no. 2, pp. 167–173, 1992.](#)

Vitamin E

[Suksomboon N, Poolsup N, Sinprasert S. Effects of vitamin E supplementation on glycaemic control in type 2 diabetes: systematic review of randomized controlled trials. Vit J Clin Pharm Ther. 2011 Feb;36\(1\):53-63. \[Article\]\(#\).](#)

[Goldenstein H, Levy NS, Lipener YT, Levy AP. Patient selection and vitamin E treatment in diabetes mellitus. Expert Rev Cardiovasc Ther. 2013 Mar;11\(3\):319-26. \[Article\]\(#\).](#)

[de Oliveira A. M., Rondó P. H., Luzia L. A. The effects of lipoic acid and \$\alpha\$ -tocopherol supplementation on the lipid profile and insulin sensitivity of patients with type 2 diabetes mellitus: a randomized, double-blind, placebo-controlled trial. Diabetes Res Clin Pract. 2011 May;92\(2\):253-60.](#)

[Park S, Choi SB \(2002\) Effects of alpha-tocopherol supplementation and continuous subcutaneous insulin infusion on oxidative stress in Korean patients with type 2 diabetes. Am J Clin Nutr 75: 728–733](#)

[Ble-Castillo JL, Carmona-Diaz E, Mendez JD, Larios-Medina FJ, Medina-Santillan R, et al. \(2005\) Effect of alpha-tocopherol on the metabolic control and oxidative stress in female type 2 diabetics. Biomed Pharmacother 59: 290–295](#)

[Boshtam M, Rafiei M, Golshadi ID, Ani M, Shirani Z, et al. \(2005\) Long term effects of oral vitamin E supplement in type II diabetic patients. Int J Vitam Nutr Res 75: 341–346](#)

[Ceriello A, Giugliano D, Quatraro A, Donzella C, Dipalo G, et al. \(1991\) Vitamin E reduction of protein glycosylation in diabetes. New prospect for prevention of diabetic complications? Diabetes Care 14: 68–72](#)

[Liu S, Lee IM, Song Y, Van Denburgh M, Cook NR, et al. \(2006\) Vitamin E and risk of type 2 diabetes in the women's health study randomized controlled trial. Diabetes 55: 2856–2862](#)

[Suksomboon N, Poolsup N, Sinprasert S \(2011\) Effects of vitamin E supplementation on glycaemic control in type 2 diabetes: systematic review of randomized controlled trials. J Clin Pharm Ther 36: 53–63](#)

[Xu R, Zhang S, Tao A. Influence of vitamin E supplementation on glycaemic control: a meta-analysis of randomized controlled trials. PLoS One. 2014 Apr 16;9\(4\):e95008. \[Article\]\(#\).](#)

[Paolisso G, D'Amore A, Galzerano D, Balbi V, Giugliano D, et al. \(1993\) Daily vitamin E supplements improve metabolic control but not insulin secretion in elderly type II diabetic patients. Diabetes Care 16: 1433–1437](#)

[Gazis A, White DJ, Page SR, Cockcroft JR \(1999\) Effect of oral vitamin E \(alpha-tocopherol\) supplementation on vascular endothelial function in Type 2 diabetes mellitus. Diabet Med 16: 304–311](#)

Biotin

[Albarracin CA, Fuqua BC, Evans JL, Goldfine ID. Chromium picolinate and biotin combination improves glucose metabolism in treated, uncontrolled overweight to obese patients with type 2 diabetes. Diabetes Metab Res Rev. 2008 Jan-Feb;24\(1\):41-51.](#)

[McCarty MF. Supplementation with Phycocyanobilin, Citrulline, Taurine, and Supranutritional Doses of Folic Acid and Biotin-Potential for Preventing or Slowing the Progression of Diabetic Complications. Healthcare \(Basel\). 2017 Mar 14;5\(1\).](#)

[McCarty MF. In type 1 diabetics, high-dose biotin may compensate for low hepatic insulin exposure, promoting a more normal expression of glycolytic and gluconeogenic enzymes and thereby aiding glycemic control. Med Hypotheses. 2016 Oct;95:45-48.](#)

[Hemmati M, Babaei H, Abdolsalehei M. Survey of the effect of biotin on glycemic control and plasma lipid concentrations in type 1 diabetic patients in kermanshah in iran \(2008-2009\). Oman Med J. 2013 May;28\(3\):195-8.](#)

[The effect of chromium picolinate and biotin supplementation on glycemic control in poorly controlled patients with type 2 diabetes mellitus: a pla... - PubMed - NCBI](#)

Magnesium

[J. Eriksson and A. Kohvakka, "Magnesium and ascorbic acid supplementation in diabetes mellitus," Annals of Nutrition and Metabolism, vol. 39, no. 4, pp. 217–223, 1995.](#)

White JR Jr, Campbell RK. Magnesium and diabetes: a review. Ann Pharmacother. 1993 Jun;27(6):775-80. [Article.](#)

Medicine (Baltimore). 2017 Mar;96(11):e6352. doi: 10.1097/MD.0000000000006352.

[Shahbah D1, Hassan T, Morsy S. Oral magnesium supplementation improves glycemic control and lipid profile in children with type 1 diabetes and hypomagnesaemia. Medicine \(Baltimore\). 2017 Mar;96\(11\):e6352.](#)

[Rodríguez-Morán M, Guerrero-Romero F. Oral magnesium supplementation improves insulin sensitivity and metabolic control in type 2 diabetic subjects: a randomized double-blind controlled trial. Diabetes Care2003;26:1147–52.](#)

[Simental-Mendía LE, Sahebkar A, Rodríguez-Morán M, et al. A systematic review and meta-analysis of randomized controlled trials on the effects of magnesium supplementation on insulin sensitivity and glucose control. Pharmacol Res 2016;111:272–82.](#)

Zinc

[Effects of zinc supplementation on diabetes mellitus: a systematic review and meta-analysis. Jayawardena R, Ranasinghe P, Galappatthy P, Malkanthi R, Constantine G, Katulanda P. Diabetol Metab Syndr. 2012 Apr 19;4\(1\):13.](#)

[Shidfar F, Aghasi M, Vafa M, Heydari I, Hosseini S, Shidfar S. Effects of combination of zinc and vitamin A supplementation on serum fasting blood sugar, insulin, apoprotein B and apoprotein A-I in patients with type i diabetes. International Journal of Food Sciences and Nutrition. 2010;61:182–191.](#)

[Al-Marouf RA, Al-Sharbatti SS. Serum zinc levels in diabetic patients and effect of zinc supplementation on glycemic control of type 2 diabetics. Saudi Medical Journal. 2006;27:344–350.](#)

[de Sena KC, Arrais RF, das Gracas Almeida M, de Araujo DM, dos Santos MM, de Lima VT, de Fatima Campos Pedrosa L: Effects of zinc supplementation in patients with type 1 diabetes. Biol Trace Elem Res. 2005;105:1–9.](#)

[Anderson RA, Roussel AM, Zouari N, Mahjoub S, Matheau JM, Kerkeni A. Potential antioxidant effects of zinc and chromium supplementation in people with type 2 diabetes mellitus. J Am Coll Nutr. 2001;20:212–218.](#)

[Gunasekara P, Hettiarachchi M, Liyanage C, Lekamwasam S. Effects of zinc and multimineral vitamin supplementation on glycemic and lipid control in adult diabetes. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy. 2011;4:53–60.](#)

Manganese

Koh ES, Kim SJ, Yoon HE. Association of blood manganese level with diabetes and renal dysfunction: a cross-sectional study of the Korean general population. BMC Endocr Disord. 2014 Mar 8;14:24. [Article.](#)

Oral Magnesium Supplementation Improves Insulin Sensitivity and Metabolic Control in Type 2 Diabetic Subjects. [\[ADA\]](#)

Chromium

[\[No authors listed\]. A scientific review: the role of chromium in insulin resistance. Diabetes Educ. 2004;Suppl:2-14.](#)

Paiva AN, Lima JG, Medeiros AC. Beneficial effects of oral chromium picolinate supplementation on glycemic control in patients with type 2 diabetes: A randomized clinical study. J Trace Elem Med Biol. 2015 Oct;32:66-72. [Article.](#)

Effects of chromium supplementation on fasting insulin levels and lipid parameters in healthy, non-obese young subjects. [\[PubMed\]](#)

[Albarracin CA, Fuqua BC, Evans JL, Goldfine ID. Chromium picolinate and biotin combination improves glucose metabolism in treated, uncontrolled overweight to obese patients with type 2 diabetes. Diabetes Metab Res Rev. 2008 Jan-Feb;24\(1\):41-51.](#)

[Singer GM, Geohas J. The effect of chromium picolinate and biotin supplementation on glycemic control in poorly controlled patients with type 2 diabetes mellitus: a placebo-controlled, double-blinded, randomized trial. Diabetes Technol Ther 2006. Dec;8\(6\):636-643](#)

[Anderson RA, Roussel AM, Zouari N, Mahjoub S, Matheau JM, Kerkeni A. Potential antioxidant effects of zinc and chromium supplementation in people with type 2 diabetes mellitus. J Am Coll Nutr. 2001;20:212–218.](#)

[Balk EM, Tatsioni A, Lichtenstein AH. Effect of chromium supplementation on glucose metabolism and lipids: a systematic review of randomized controlled trials. Diabetes Care. 2007 Aug;30\(8\):2154-63.](#)

Wang X, Zhang M, Lui G. Associations of Serum Manganese Levels with Prediabetes and Diabetes among ≥60-Year-Old Chinese Adults: A Population-Based Cross-Sectional Analysis. *Nutrients*. 2016 Aug 13;8(8). [Article](#).

Banaba Leaf extract

[Miura T, Takagi S, Ishida T. Management of Diabetes and Its Complications with Banaba \(*Lagerstroemia speciosa* L.\) and Corosolic Acid. Evid Based Complement Alternat Med. 2012;2012:871495.](#)

Management of Diabetes and Its Complications with Banaba (*Lagerstroemia speciosa* L.) and Corosolic Acid. [[PubMed](#)] [[PubMed](#)]

Guggul

Sarup P1, Bala S1, Kamboj S1. Pharmacology and Phytochemistry of Oleo-Gum Resin of *Commiphora wightii* (Guggulu). *Scientifica* (Cairo). 2015;2015:138039. [Article](#).

[R. Bellamkonda, K. Rasineni, S. R. Singareddy et al., "Antihyperglycemic and antioxidant activities of alcoholic extract of *Commiphora mukul* gum resin in streptozotocin induced diabetic rats." *Pathophysiology*, vol. 18, no. 4, pp. 255–261, 2011.](#)

Bitter Melon

[Alam MA, Uddin R, Subhan N. Beneficial Role of Bitter Melon Supplementation in Obesity and Related Complications in Metabolic Syndrome. J Lipids. 2015; 2015: 496169.](#)

[Krawinkel M. B., Keding G. B. Bitter gourd \(*Momordica charantia*\): a dietary approach to hyperglycemia. *Nutrition Reviews*. 2006;64\(7\):331–337.](#)

[Tsai C.-H., Chen E. C.-F., Tsay H.-S., Huang C.-J. Wild bitter gourd improves metabolic syndrome: a preliminary dietary supplementation trial. *Nutrition Journal*. 2012;11](#)

[Fuangchan A., Sonthisombat P., Seubnukarn T., et al. Hypoglycemic effect of bitter melon compared with metformin in newly diagnosed type 2 diabetes patients. *Journal of Ethnopharmacology*. 2011;134\(2\):422–428.](#)

[Leung L., Birtwhistle R., Kotecha J., Hannah S., Cuthbertson S. Anti-diabetic and hypoglycaemic effects of Momordica charantia \(bitter melon\): a mini review. British Journal of Nutrition. 2009;102\(12\):1703–1708.](#)

Licorice root extract

[Cheng HS, Kong JM, Ng AX. Novel Inhibitory Effects of Glycyrrhizic Acid on the Accumulation of Advanced Glycation End Product and Its Receptor Expression. Nat Prod Bioprospect. 2014 Dec;4\(6\):325-33.](#)

Kuroda M, Mimaki Y, Sashida Y. Phenolics with PPAR-gamma ligand-binding activity obtained from licorice (*Glycyrrhiza uralensis* roots) and ameliorative effects of glycyrrin on genetically diabetic KK-A(y) mice. *Bioorg Med Chem Lett*. 2003 Dec 15;13(24):4267-72. [Article](#).

[Chia YY, Liong SY, Ton SH. Amelioration of glucose homeostasis by glycyrrhizic acid through gluconeogenesis rate-limiting enzymes. Eur J Pharmacol. 2012 Feb 29;677\(1-3\):197-202.](#)

Cinnamon Bark Powder

[Mang B, Wolters M, Schmitt B, Kelb K, Lichtinghagen R, Stichtenoth DO, et al. Effects of a cinnamon extract on plasma glucose, HbA1c, and serum lipids in diabetes mellitus type 2. Eur J Clin Invest. 2006;36:340–4.](#)

Crawford P. Effectiveness of cinnamon for lowering hemoglobin A1C in patients with type 2 diabetes: a randomized, controlled trial. *J Am Board Fam Med*. 2009;22:507–12. [PubMed](#)

[Akilen R, Tsiami A, Devendra D, Robinson N. Glycated haemoglobin and blood pressure-lowering effect of cinnamon in multi-ethnic Type 2 diabetic patients in the UK: a randomized, placebo-controlled, double-blind clinical trial. Diabet Med. 2010;27:1159–67.](#)

Itschuler JA, Casella SJ, MacKenzie TA, Curtis KM. The effect of cinnamon on A1C among adolescents with type 1 diabetes. *Diabetes Care*. 2007;30:813–6. [PubMed](#)

Blevins SM, Leyva MJ, Brown J, Wright J, Scofield RH, Aston CE. Effect of cinnamon on glucose and lipid levels in non insulin-dependent type 2 diabetes. *Diabetes Care*. 2007;30:2236–7. [PubMed](#)

Mettler S, Schwarz I, Colombani PC. Additive postprandial blood glucose-attenuating and satiety-enhancing effect of cinnamon and acetic acid. *Nutr Res*. 2009;29:723–7. [PubMed](#)

Cinnamon: potential role in the prevention of insulin resistance, metabolic syndrome, and type 2 diabetes.– [PubMed](#)

Cinnamon improves glucose and lipids of people with type 2 diabetes.– [PubMed](#)

Solomon TP, Blannin AK. Changes in glucose tolerance and insulin sensitivity following 2 weeks of daily cinnamon ingestion in healthy humans. Eur J Appl Physiol. 2009;105:969– [\[PubMed\]](#)

Gymnema Sylvestre Leaf Powder

[Kanetkar P, Singhal R, Kamat M. Gymnema sylvestre: A Memoir. J Clin Biochem Nutr. 2007 Sep; 41\(2\): 77–81.](#)

[Persaud S.J., Al-Majed H., Raman A., Jones P.M. Gymnema sylvestre stimulates insulin release in vitro by increased membrane permeability. J. Endocrinol. 1999;163:207–212.](#)

[Khare A.K., Tondon R.N., Tewari J.P. Hypoglycemic activity of an indigenous drug Gymnema sylvestre in normal and diabetic persons. Ind. J. Physiol. Pharmacol. 1983;27:257–261.](#)

[Antidiabetic effect of a leaf extract from Gymnema sylvestre in non-insulin-dependent diabetes mellitus patients. - PubMed - NCBI." National Center for Biotechnology Information. U.S. National Library of Medicine, n.d. Web. 18 June 2017.](#)

Yarrow Flowers Powder

Yazdanparast R, Ardestani A, Jamshidi S. Experimental diabetes treated with Achillea santolina: effect on pancreatic oxidative parameters. J Ethnopharmacol. 2007 May 30;112(1):13-8. [Article.](#)

Tiwari P, Mishra BN, Sangwan NS. Phytochemical and pharmacological properties of Gymnema sylvestre: an important medicinal plant. Biomed Res Int. 2014;2014:830285. [Article.](#)

[Yazdanparast R, Ardestani A, Jamshidi S. Experimental diabetes treated with Achillea santolina: effect on pancreatic oxidative parameters. J Ethnopharmacol. 2007 May 30;112\(1\):13-8.](#)

[Shanmugasundaram ERB, Rajeswari G, Baskaran K, Kumar BRR, Shanmugasundaram KR, Ahmath BK. Use of Gymnema sylvestre leaf extract in the control of blood glucose in insulin-dependent diabetes mellitus. Journal of Ethnopharmacology. 1990;30\(3\):281–294.](#)

[Baskaran K, Ahamath BK, Shanmugasundaram KR, Shanmugasundaram ERB. Antidiabetic effect of a leaf extract from Gymnema sylvestre in non-insulin-dependent diabetes mellitus patients. Journal of Ethnopharmacology. 1990;30\(3\):295–305.](#)

Cayenne pepper Powder

Khan I, Ahmad H, Ahmad B. Anti-glycation and anti-oxidation properties of Capsicum frutescens and Curcuma longa fruits: possible role in prevention of diabetic complication. Pak J Pharm Sci. 2014 Sep;27(5):1359-62. [Article](#).

Chaiyasit K, Khovidhunkit W, Wittayalertpanya S. Pharmacokinetic and the effect of capsaicin in Capsicum frutescens on decreasing plasma glucose level. J Med Assoc Thai. 2009 Jan;92(1):108-13. [Article](#).

[Tolan I, Ragoobirsingh D, Morrison EY. Isolation and purification of the hypoglycaemic principle present in Capsicum frutescens. Phytother Res. 2004 Jan;18\(1\):95-6.](#)

Juniper berry powder

[Sánchez de Medina F, Gámez MJ, Jiménez I, Jiménez J, Osuna JI, Zarzuelo A. Hypoglycemic activity of juniper "berries" Planta Med. 1994;60:197-200.](#)

White mulberry leaf powder

[Kimura T, Nakagawa K, Kubota H, Kojima Y, Yamagishi K, Oita S, Oikawa S, Miyazawa T. Food-grade mulberry powder enriched with 1-deoxynojirimycin suppresses the elevation of postprandial blood glucose in humans. J. Agric. Food Chem. 2007;55:5869-5874.](#)

Mulberry-extract improves glucose tolerance and decreases insulin concentrations in normoglycaemic adults: Results of a randomised double-blind placebo-controlled study. Lown M, Fuller R, Lightowler H, Fraser A, Gallagher A, Stuart B, Byrne C, Lewith G. PLoS One. 2017 Feb 22;12(2). [Article](#).

Mulberry leaf extract improves postprandial glucose response in prediabetic subjects: a randomized, double-blind placebo-controlled trial. Kim JY, Ok HM, Kim J, Park SW, Kwon SW, Kwon O. J Med Food. 2015 Mar;18(3):306-13. [Article](#).

Effect of mulberry (*Morus indica* L.) therapy on plasma and erythrocyte membrane lipids in patients with type 2 diabetes. [\[PubMed\]](#)

Influence of Mulberry Leaf Extract on the Blood Glucose and Breath Hydrogen Response to Ingestion of 75 g Sucrose by Type 2 Diabetic and Control Subjects. [\[ADA\]](#)

Vanadium

[Badmaev V, Prakash S, Majeed M. Vanadium: a review of its potential role in the fight against diabetes. J Altern Complement Med. 1999 Jun;5\(3\):273-91.](#)

Jacques-Camarena O, González-Ortiz M, Martínez-Abundis E, López-Madrueño JF, Medina-Santillán R. Effect of vanadium on insulin sensitivity in patients with impaired glucose tolerance. *Ann Nutr Metab.* 2008;53(3-4):195-8. [Article.](#)

Thompson KH, Lichter J, LeBel C. Vanadium treatment of type 2 diabetes: a view to the future. *J Inorg Biochem.* 2009 Apr;103(4):554-8. [Article.](#)

Thompson KH, Orvig C. Vanadium in diabetes: 100 years from Phase 0 to Phase I. *J Inorg Biochem.* 2006 Dec;100(12):1925-35. [Article.](#)

Alpha lipoic acid

[Saeid Golbidi, Mohammad Badran, and Ismail Laher. Diabetes and Alpha Lipoic Acid. Front Pharmacol. 2011; 2: 69.](#)

[Ansar H., Mazloom Z., Kazemi F., Hejazi N. \(2011\). Effect of alpha-lipoic acid on blood glucose, insulin resistance and glutathione peroxidase of type 2 diabetic patients. Saudi Med. J. 32, 584–588.](#)

[de Oliveira A. M., Rondó P. H., Luzia L. A., D'Abronzio F. H., Illison V. K. \(2011\). The effects of lipoic acid and \$\alpha\$ -tocopherol supplementation on the lipid profile and insulin sensitivity of patients with type 2 diabetes mellitus: a randomized, double-blind, placebo-controlled trial. Diabetes Res. Clin. Pract. 92, 253–26010.](#)

[Kamenova P. \(2006\). Improvement of insulin sensitivity in patients with type 2 diabetes mellitus after oral administration of alpha-lipoic acid. Hormones \(Athens\) 5, 251–258](#)

L-taurine

[Franconi F, Loizzo A, Ghirlanda G, Seghieri G. Taurine supplementation and diabetes mellitus. Curr Opin Clin Nutr Metab Care. 2006;9:32–36.](#)

[Ito T, Schaffer SW, Azuma J. The potential usefulness of taurine on diabetes mellitus and its complications. Amino Acids. 2012 May; 42\(5\): 1529–1539.](#)

[Chauncey KB, Tenner TE, Jr, Lombardini JB, Jones BG, Brooks ML, Warner RD, Davis RL, Ragain RM. The effect of taurine supplementation on patients with type 2 diabetes mellitus. Adv Exp Med Biol. 2003;526:91–96.](#)

[Elizarova EP, Nedosugova LV. First experiments in taurine administration for diabetes mellitus. The effect on erythrocyte membranes. Adv Exp Med Biol. 1996;403:583–588.](#)